## Formula Bar and Variable Editor Webinar



### Meet Your Trainer

Jaime Ransom

Senior Training Specialist





### Learning Objective

Help Report Writers understand best practices for creating popular advanced formulas and/or variables in results so that users confidently know when to use which tool when designing Results reports.





### Variable Editor

### Popular Advanced Formulas





- Window into a cell
- Viewed in 2 ways
  - Click a cell to view bar
  - Click F(x) to collapse or expand

<	俞	aprico	t Welcon	me: Results	9	Forn	nulas & Cor	ntext Starte	er Report v	veb $\sim$
File	5	之 ∘∘∘	Data 曝 C、	× 000	Insert ⊞∨ ⊨	→ abc → ē	<i>ا</i> ۵۰۰۰ ا	Analyze	Displ	ay
\7_+∼										
R	Raw Data	$\sim$ 1								+
/ 🗈	×	,								
										- 1
						Raw	Data			:
T F	Tier 1 Record Id	Name	DOB	Gender	Race	Ethnicity	Primary Language	State	ISP Record Id	Dat ISH Creat
	1228	Kyle Butler	1/1/80	Male	African Americ	Hispanic	Spanish	ОН	1,230	7/20/17
	1291	James Monst	10/1/89	Male	Asian	Non-Hispanic	English	ME		
	1292	Jasmine Smit	3/28/89	Female	Multi-Racial	Hispanic	Spanish	ME		



#### Four Icons

• Formula Editor (pencil icon)





#### Four Icons

- Formula Editor (pencil icon)
- Create Variable (paper icon)





#### Four Icons

- Formula Editor (pencil icon)
- Create Variable (paper icon)
- Cancel Button (X icon)





#### Four Icons

- Formula Editor (pencil icon)
- Create Variable (paper icon)
- Cancel Button (X icon)
- Validate Button (check mark icon)

< 🍙 aprio	COT Welcome: Result	Formulas & Context Starter Report web ~			
File □ ✓ <b>5 2</b> ····	Data ∰ C ∽ ••••	Insert ⊞ ∽ ⊨ ∽	abc V and	Analyze	Display
V <sub>+</sub> ∽ Raw Data ∽ I					+
/ 🗄 X 🗸					





### What is a Variable?

- A reusable formula
- Saves time
- Simplifies report design





### What is a Variable?

- A reusable formula
- Saves time
- Simplifies report design
- Accessed under Available Document Objects menu

< 1	la apr	ricot »	<mark>/elcome:</mark> Re	sults 9	Formulas	& Context	Sta	Starter Report web> Q 📢 º 🖉 🏾 🖓 ->	
File ₪ 〜 🛨	) ¢ ∘	oo Bata	Ċ∨ ∾	o Insert		/ 🔤 ०००		Analyze Display ▼ ★ ····	Edit
V <sub>+</sub> ∼ Raw [	Data					~ ·	+	+ Block 1 ℓ Q 1↓~ + Add Va	ariable
/ 🗄 ×	· 🗸							Image: Solution s       Imag	
								✓       Turn Into         ✓       Date of Birth_199         ✓       Data Assignment         ●       Date Service Plan Created_1824	
Raw Data						Data		Columns (12) Colu	
Tier 1 Record Id	Name	DOB	Gender	Race	Ethnicity	Primary Language		Image: Name_198       Image: Name_198	
1228	Kyle Butler	1/1/80	Male	African Americ	Hispanic	Spanish	C	C =If [Gender Id Primary Language_212	



#### Four Components

• Name

	Create Variable		۲۶ لاع
Name: Description:		Qualification: Type:	Dimension     V
Formula			×
Objects	Functions	0	perators
Type here to filter objects tree Q	Type here to filter functions tree	۹ =	= < <= <> > >= . +
V Dimensions	> $\left[\overline{(\chi)}\right]$ All		- / * ( )
🕀 Category_1841	> $\Gamma(\chi)$ Aggregate		Values
♣ Date of Birth_199	> $\left[\overline{x}\right]$ Character	1	Prompts
📌 Date Service Plan Created_1824	> $\left[\overline{(\chi)}\right]$ DataProvider		:
🚸 Ethnicity_1616	> $\overline{(x)}$ DateTime		;
🚸 Gender Identity_200	> $\overline{(x)}$ Document		After
			OK Cancel



- Name
- Description

	Create Variable	רא
Name: Description:		Qualification: 📌 Dimension 🗸 🗸
Formula		
		×
Objects	Functions	Operators
Type here to filter objects tree Q	Type here to filter functions tree	Q = < <= <> > >= . +
✓ Dimensions	> $\overline{(x)}$ All	- / * ( )
📌 Category_1841	> $\Gamma(x)$ Aggregate	Values
✤ Date of Birth_199	$\rightarrow [\vec{x})$ Character	Prompts
🕀 Date Service Plan Created_1824	> $\left[\overline{(\chi)}\right]$ DataProvider	
📌 Ethnicity_1616	> $\left[\overline{\chi}\right]$ DateTime	;
😽 Gender Identity_200	> $\Box(x)$ Document	After
		OK Cancel



- Name
- Description
- Qualification

	Create Variable	1	23
Name: Description:		Qualificatio	on: I Dimension ✓ Undefined
Formula			×
Objects	Functions		Operators
Type here to filter objects tree       Q         ✓       Dimensions         ⊕       Category_1841         ⊕       Date of Birth_199         ⊕       Date Service Plan Created_1824         ⊕       Ethnicity_1616         ⊕       Gender Identity_200	Type here to filter functions tree                 दिके All                  दिके Aggregate                  दिके Character                  दिके DataProvider                  दिके Document	a	= < <= <> >= . + - / * ( ) Values Prompts : ; After
			OK Cancel



- Name
- Description
- Qualification
  - Dimension
  - Measure
  - Detail

	Create Variable	
Name: Description:		Qualification:     Image: Dimension     Image: Dimension       Type:     Undefined
Formula		×
Objects	Functions	Operators
Type here to filter objects tree	Type here to filter functions tree	Q = < <= <> > >= . +
✓ Dimensions	> $\left[\overline{x}\right]$ All	- / * ( )
😽 Category_1841	> $\Gamma(x)$ Aggregate	Values
😽 Date of Birth_199	> $\overline{(x)}$ Character	Prompts
😔 Date Service Plan Created_1824	> $\left[ \overrightarrow{x} \right]$ DataProvider	
🔶 Ethnicity_1616	> $\left[\overline{(\chi)}\right]$ DateTime	;
😽 Gender Identity_200	> $\left[\overline{(\chi)}\right]$ Document	After
		OK Cancel



- Name
- Description
- Qualification
- Type

	Create Variable	E3
Name: Description:		Qualification: 🔶 Dimension 🗸 🗸
Formula		×
Objects	Functions	Operators
Type here to filter objects tree Q	Type here to filter functions tree	Q = < <= <> > >= . +
✓ Dimensions	> $\left[\overline{X}\right]$ All	- / * ( )
😚 Category_1841	> $\left[\overline{(\chi)}\right]$ Aggregate	Values
↔ Date of Birth_199	> $\left[\overline{(\chi)}\right]$ Character	E Prompts
🚸 Date Service Plan Created_1824	> $\left[\overline{(\chi)}\right]$ DataProvider	
🚸 Ethnicity_1616	> $\overline{(x)}$ DateTime	;
😽 Gender Identity_200	> $\boxed{(x)}$ Document	After
		OK Cancel



# Popular Advanced Formulas



### **Popular Formulas**

#### Year (or Month, Day, etc)

- Allows for simple aggregation for time periods, which can be utilized in filtering or chart creation
- =Year([Date of Service])

Year	Count
2016	57
2017	147
2018	4
2020	2

#### 🤑 Bonterra.

### **Popular Formulas**

#### **Display Null Values with other Text**

Especially helpful for use in Input Controls, Report Filters, Summary Tables, and Charts

<u>=lf [Data Object]>="" Then [Data Object] Else "Unanswered"</u> OR

=If IsNull([Data Object]) Then "Unanswered" Else [Data Object]

- >=! Formulas are relied on more in Apricot
- If IsNull Formulas are relied on more in ETO

		Count
Secondary Language_213	Secondary Language	7
	Unanswered	2
	Unanswered	197
	Unanswered	
	Unanswered	
	Unanswered	
English	English	Count by Se
Spanish	Spanish	
English	English	Unanswered
	Unanswered	
	Unanswered	Spanish
	Unanswered	
Spanish	Spanish	
		English

ount	Secondary Language
7	English
2	Spanish
197	Unanswered



👎 Bonterra.

### **Popular Formulas**

Calculate Age based on Today's Date

 Revise name of Date of Birth field name in formula to match the Object in your report

=DatesBetween([Date of Birth];CurrentDate();YearPeriod)

DOB	Age
1/1/80	42
1/19/53	69
11/11/89	32
10/1/75	46
3/22/90	31
1/1/45	77
1/1/65	57
10/21/11	10
3/23/00	21
9/4/68	53



# **Additional Resources**



### Additional Training Opportunities

- Knowledge Base Articles Search in Chat
- On-demand Videos in our <u>Bonterra Academy</u>
- Free Webinars & Recordings
- Foundations Intensive Multiday Trainings that Cover the Basics
- Labs 2 hr Live Trainings on Specific Topics and Capabilities



Build confidence and knowledge in our software.



### **Customer Support**

## Reach out to our Customer Support Team with Questions or Concerns.

Weekdays 7am – 7pm CST via chat or through email: <u>apricot@bonterratech.com</u>



- Ask questions about functionality covered in this training
- Ask trainer to redo a demo
- Ask real-life application questions
- Or sign off and we will see you in the next training!





### Thank you for attending!

We hope to see you in future trainings.

